

**Amendments to the Claims**

The following is a complete listing of the claims with a status identifier in parenthesis.

**Listing of the Claims**

---

1. (Currently Amended) A method of making operational measurements in a wireless communication system, comprising:

a) sending a measurement request from a first base station to at least a second base station, said measurement request requesting said second base station to instruct mobile terminals in communication with said second base station to make ~~operation~~ operational measurements of at least one signal transmitted by said first base station;

b) transmitting a measurement instruction from said second base station to said mobile terminals in communication with said second base station in response to said measurement request, said measurement instruction instructing said mobile terminals in communication with said second ~~first~~ base station to make operational measurements of said signal transmitted from said first base station; and

c) receiving results of said operational measurements at said second base station from said mobile terminals in communication with said second base station.

2. (Previously Presented) The method of claim 1, further comprising:

d) sending said received results to a main controller.

3. (Previously Presented) The method of claim 1, further comprising:

d) processing said received results; and

e) sending said processed received results to a main controller.

4. (Original) The method of claim 3, wherein said step d) averages said received results.

5. (Original) The method of claim 3, wherein

said step c) receives results of said operational measurements and location information indicating a location of said mobile terminal taking each operational measurement; and  
said step d) creates a map of said received results based on said location information.

6. (Original) The method of claim 1, wherein said step c) receives results of said operational measurements and location information indicating a location of said mobile terminal taking each operational measurement.

7. (Original) The method of claim 1, wherein said signal transmitted from said first base station is transmitted at a constant power level.

8. (Currently Amended) The method of claim 7, wherein said signal transmitted from said first base station is a forward control channel signal.

9. (Original) The method of claim 7, wherein said wireless communication system is a code-division multiple access system and said signal transmitted from said first base station is a pilot signal.

10. (Original) The method of claim 7, wherein said signal is one of a reserved or dummy channel.

11. (Original) The method of claim 7, wherein said signal is an existing channel held at a constant power level.

12. (Currently Amended) The method of claim 1, further comprising:

B1  
d) making said ~~operation~~ operational measurements at said mobile terminals in communication with said second base station during off time-slots of said mobile terminals in communication with said second base station in response to said measurements instruction.

13. (Canceled).

14. (Previously Presented) The method of claim 1, wherein

said step a) sends a measurement request from said first base station to said second base station via a main controller, said measurement request instructing said main controller to send said measurement request to said second base station.

15. (Currently Amended) The method of claim 1, wherein said operational measurements ~~includes~~ include at least one of signal strength, signal-to-noise ratio, frame error

rate and bit error rate of said signal transmitted from said first base station as received at said mobile terminals in communication with said second base station.

16. (Currently Amended) A method of making operational measurements in a wireless communication system, comprising:

B/ a) sending a measurement request from a first base station to ~~at least a second base station~~ a plurality of base stations, said measurement request requesting said ~~second base station~~ plurality of base stations to make operation measurements of ~~at least one~~ a signal transmitted by said first base station; and

b) making said operational measurements at said ~~second base station~~ plurality of base stations.

17. (Currently Amended) The method of claim 16, further comprising:

c) sending results of said operational measurements ~~said received results~~ to a main controller.

18. (Original) The method of claim 16, wherein said signal transmitted from said first base station is transmitted at a constant power level.

19. (Original) The method of claim 18, wherein said signal transmitted from said first base station is a forward control channel signal.

20. (Original) The method of claim 18, wherein said wireless communication system is a code-division multiple access system and said signal transmitted from said first base station is a pilot signal.

21. (Original) The method of claim 18, wherein said signal is one of a reserved or dummy channel.

22. (Original) The method of claim 18 wherein said signal is an existing channel held at a constant power level.

23. (Cancelled).

24. (Currently Amended) The method of claim 16, wherein  
said step a) sends said measurement request from said first base station to said second base station via a main controller, said measurement request instructing said main controller to send said measurement request to said ~~second base station~~ plurality of base stations.

25. (Currently Amended) The method of claim 16, wherein said operational measurements includes at least one of signal strength, signal-to-noise ratio, frame error rate and bit error rate of said signal transmitted from said first base station as received at said ~~second base station~~ plurality of base stations.

21

26. (New) The method of claim 16, further comprising:

c) sending results of said operational measurements to the first base station.

---